

KATHMANDU UNIVERSITY
End Semester Examination
August/September, 2017

Marks scored:

Level: B.Sc.

Year : II

Exam Roll No. :

Time: 30 mins.

Course : MCSC 201

Semester: I

F. M. : 20

Registration No.:

Date SEP 08 2017

SECTION "A"

[10 Q. × 1 = 10 marks]

Fill in the blank space(s) by writing most appropriate word(s) or symbols(s).

1. The real function f defined as $f(x) = \sqrt{x-1}$ is well-defined if its domain is _____
2. The complete graph K_5 has exactly _____ edges.
3. The statement that can be either true or false, depending on the truth values of its propositional variables, is _____
4. The range of ceiling function is _____
5. The expression $00*(0\vee 1)*1$ over a set $A = \{0, 1\}$ is _____ expression.
6. A path is _____ if no vertex appears more than once in the vertex sequence.
7. The 5-base representation of 732 is _____
8. The kernel of a homomorphism from a group $(G, *)$ onto a group $(G', *)'$ is _____ subgroup of G .
9. The quotient set of an equivalence relation R on the set of positive integers $A = \mathbb{Z}^+$ defined by $R = \{(a, b) \in A \times A : a \equiv b \pmod{2}\}$, is _____
10. The _____ of length 2 is transposition.

SECTION "B"

[10 Q. × 1 = 10 marks]

Fill in the blank space(s), DO NOT TICK, by choosing the most appropriate answer from among the given ones.

11. If a relation R on a set A is symmetric, then $\alpha = 0$, for all i , where α is _____
[m_{ii} ; m_{ij} ; m_{ji} ; $-m_{jj}$]
12. The degree of element 3 in the relation $S = \{(1, 1), (2, 2), (3, 1), (3, 2), (3, 3), (4, 1), (4, 4)\}$ defined on set $B = \{1, 2, 3, 4\}$ is _____
[1; 2; 3; 4]

13. The probability that when two dices are rolled, the sum of the numbers on dices being 7, is _____
 [1/2; 1/4; 1/6; 1/8]
14. If $A = \{1, 2, 3, 4, 6\}$, R be a relation defined on A such that $a R b$ iff a is a multiple of b . Then, the cardinality of R is _____
 [10; 11; 12; 13]
15. If two real valued functions f and g are defined by $f(x) = x^2 + 1$ and $g(x) = x + 3$, then $(g \circ f)(-1) =$ _____
 [-1; 3; 4; 5]
16. The fifth term of an infinite sequence defined by the recurrence relation $d_n = 2d_{n-1}$ with $d_1 = 5$, is _____
 [80; 82; 84; 88]
17. If f is the mod-11 function, then $2 f(87) =$ _____
 [18; 20; 22; 24]
18. The number of odd permutations defined on set $A = \{1, 2, 3, 4, 5\}$ is _____
 [50; 55; 60; 65]
19. If (T, v_0) is a rooted tree on a set A , then T is _____
 [reflexive; symmetric; asymmetric ; anti-symmetric]
20. Let $g : S \rightarrow T$ be a homomorphism of the monoid $(S, *)$ onto the monoid $(T, *')$ and R be the relation on S defined by $a R b$ if, and only if $g(a) = g(b)$, for all a, b in S , then T is isomorphic to _____
 [S; T; S/R; T/R]

KATHMANDU UNIVERSITY
End Semester Examination
August/September, 2017

SEP 08 2017

Level : B.Sc.
Year : II
Time : 2 hrs. 30 mins.

Course : MCSC 201
Semester: I
F. M. : 55

SECTION "C"

[3 Q. × 7 = 21 marks]

1. Define the relatively prime integers. For any two positive integers a & b , prove that $\text{GCD}(a, b) \text{ LCM}(a, b) = a \times b$. Also, verify this for $a = 540$ and $b = 504$. [1+4+2]
2. What is meant by a relation defined on a set? For an equivalent relation R on the set A and for $a \in A, b \in A$, prove that $a R b$ iff $R(a) = R(b)$. Also, for the partition $P = \{\{1, 2, 3\}, \{4\}\}$ defined on $A = \{1, 2, 3, 4\}$, find an equivalent relation R on A determined by P . [1+4+2]

OR

Define a composition of two relations on sets with example. If A, B , and C are three sets, R is a relation from A to B and S a relation from B to C , then for any subset A_1 of A , show that $(S \circ R)(A_1) = S(R(A_1))$, symbols have their usual meanings. [2+1+4]

3. Define a group and a subgroup with examples. For $S = \{1, -1, i, -i\}, i = \sqrt{-1}$ and $G = (S, \text{complex multiplication})$, show that $H = \{1, -1\}$ is a subgroup of G . Also, determine all left cosets of H . [2+4+1]

SECTION "D"

[6 Q. × 4 = 24 marks]

4. Find the inverse of the real valued function f defined as $f(x) = 2x^3 - 1$ and then verify the result.
5. If $S = \{a, b, c\}$ and $T = \{1, 2, 3\}$ then show that lattices $(P(S), \subseteq)$ and $(P(T), \subseteq)$ are isomorphic, where $P(S)$ denotes the power set on S .

OR

Prove that a complement in a bounded distributive lattice if it exists is unique.

6. For statements p, q, r , prove that $p \wedge (q \vee r) \equiv (p \wedge q) \vee (p \wedge r)$, where symbols have their usual meanings.
7. Define a Boolean matrix. Compute $C \vee D, C \wedge D$ and $C \otimes D$, symbols have their usual meanings, for the given matrices, $C = \begin{bmatrix} 0 & 0 & 1 \\ 1 & 1 & 0 \\ 1 & 0 & 0 \end{bmatrix}$ and $D = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 1 & 0 \\ 1 & 0 & 1 \end{bmatrix}$. [1+3]

8. What is meant by a transitive closure of a relation defined on a set? Also, find the transitive closure of the relation $R = \{(1, 2), (2, 1), (2, 3), (3, 4), (4, 3)\}$ defined on a set $A = \{1, 2, 3, 4\}$, by using Warshal's algorithm. [1+3]
9. Find an explicit formula for the sequence defined by $d_n = 4d_{n-1} - 4d_{n-2}$ with initial conditions $d_1 = 1$ and $d_2 = 7$. Also, give the first four terms of the sequence. [3+1]


SECTION "E"

[5 Q. \times 2 = 10 marks]

10. If 45 books in KU library contain a total of 61,327 pages, then show that one of the book must have at least 1363 pages.
11. If $\text{GCD}(a, c) = 1$ and $c \mid ab$, then prove that $c \mid b$.
12. Draw the Hasse diagram of the lattice $(P(A), \subseteq)$, where $P(A)$ is power set defined on $A = \{a, b, c\}$.
13. Verify that the cycles $(5, 6, 3)$ and $(4, 1, 3, 5)$ defined on $A = \{1, 2, 3, 4, 5, 6\}$ are disjoint or not.
14. Use mathematical induction to prove that $1 + 2^n < 3^n$, for all $n \geq 2$.

TABLE 3 Standard Normal Distribution Function


$$F(z) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^z e^{-t^2/2} dt$$



z	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
-5.0	0.0000003									
-4.0	0.00003									
-3.5	0.0002									
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0007	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0010	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0015	0.0015	0.0014	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0029	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0809	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2705	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5006	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

TABLE 3 Standard Normal Distribution Function

$$F(z) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^z e^{-t^2/2} dt$$



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7827	0.7857
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9391	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9600	0.9616	0.9632	0.9645	0.9658
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9700	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9755	0.9761	0.9766
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9915
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9997	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998									
4.0	0.99997									

1102 8 0 430

TABLE 5 Values of χ^2_{α}

ν	$\alpha = 0.995$	$\alpha = 0.99$	$\alpha = 0.975$	$\alpha = 0.95$	$\alpha = 0.9$	$\alpha = 0.8$	$\alpha = 0.7$	$\alpha = 0.6$	$\alpha = 0.5$	$\alpha = 0.4$	$\alpha = 0.3$	$\alpha = 0.2$	$\alpha = 0.1$	$\alpha = 0.05$
1	0.000393	0.000157	0.000982	0.00393	0.891	5.024	6.635	7.879						
2	0.0100	0.0201	0.0506	0.103	5.991	7.378	9.210	10.597						
3	0.0717	0.115	0.216	0.352	7.815	9.348	11.345	12.838						
4	0.207	0.297	0.484	0.711	9.488	11.147	13.277	14.860						
5	0.412	0.554	0.831	1.145	11.070	12.832	15.086	16.750						
6	0.676	0.872	1.237	1.635	12.592	14.449	16.812	18.548						
7	0.989	1.239	1.690	2.167	14.067	16.015	18.475	20.278						
8	1.344	1.646	2.180	2.733	15.507	17.533	19.999	21.955						
9	1.735	2.088	2.700	3.325	16.919	19.023	21.666	23.589						
10	2.156	2.558	3.247	3.940	18.307	20.483	23.209	25.188						
11	2.603	3.053	3.816	4.575	19.675	21.929	24.725	26.757						
12	3.074	3.571	4.404	5.226	21.026	23.337	26.217	28.300						
13	3.565	4.107	5.009	5.892	22.362	24.736	27.688	29.819						
14	4.075	4.660	5.629	6.571	23.685	26.119	29.141	31.319						
15	4.601	5.229	6.262	7.261	24.996	27.488	30.578	32.801						
16	5.142	5.812	6.908	7.962	26.295	28.845	32.000	34.267						
17	5.697	6.408	7.564	8.672	27.587	30.191	33.109	35.718						
18	6.265	7.015	8.231	9.390	28.869	31.526	34.805	37.156						
19	6.844	7.633	8.907	10.117	30.144	32.842	36.191	38.582						
20	7.434	8.260	9.591	10.851	31.410	34.170	37.566	40.097						
21	8.034	8.897	10.283	11.591	32.671	35.479	38.932	41.601						
22	8.643	9.542	10.982	12.338	33.924	36.781	40.289	43.196						
23	9.260	10.196	11.689	13.091	35.172	38.076	41.638	44.781						
24	9.886	10.856	12.401	13.844	36.415	39.364	42.980	46.358						
25	10.520	11.524	13.120	14.611	37.652	40.646	44.314	47.928						
26	11.160	12.198	13.844	15.379	38.885	41.923	45.642	49.491						
27	11.808	12.879	14.573	16.151	40.113	43.194	46.961	51.045						
28	12.461	13.565	15.308	16.928	41.337	44.461	48.278	52.593						
29	13.121	14.256	16.047	17.708	42.557	45.772	49.588	54.136						
30	13.787	14.953	16.791	18.491	43.771	47.079	50.902	55.672						
40	20.706	22.164	24.433	26.509	55.758	59.342	63.691	66.766						
50	27.991	29.707	32.357	34.764	67.505	71.420	76.154	79.481						
60	35.535	37.485	40.482	43.118	79.082	83.298	88.379	91.952						
70	43.275	45.442	48.756	51.739	90.521	95.023	100.425	104.215						
80	51.172	53.540	57.153	60.391	101.879	106.629	112.329	116.321						
90	59.196	61.754	65.646	69.126	113.145	118.136	124.116	128.299						
100	67.328	70.065	74.222	77.929	124.342	129.561	135.807	140.169						

* This table is based on Table 8 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of the *Biometrika Trustees*.

TABLE 4 Values of t_{α}

ν	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.025$	$\alpha = 0.01$	$\alpha = 0.005$	$\alpha = 0.0025$	$\alpha = 0.001$	$\alpha = 0.0005$
1	3.078	6.314	12.706	31.821	38.204	50.923	63.657	63.657
2	1.886	2.920	4.303	6.965	7.650	8.860	9.925	9.925
3	1.638	2.353	3.182	4.541	4.857	5.392	5.841	5.841
4	1.533	2.137	2.776	3.747	3.961	4.315	4.604	4.604
5	1.476	2.015	2.571	3.365	3.534	3.810	4.032	4.032
6	1.440	1.943	2.447	3.143	3.288	3.521	3.707	3.707
7	1.415	1.895	2.365	2.998	3.128	3.335	3.499	3.499
8	1.397	1.860	2.306	2.896	3.016	3.206	3.355	3.355
9	1.383	1.833	2.262	2.821	2.934	3.111	3.250	3.250
10	1.372	1.812	2.228	2.764	2.870	3.038	3.169	3.169
11	1.363	1.796	2.201	2.718	2.820	2.981	3.106	3.106
12	1.356	1.782	2.179	2.681	2.780	2.934	3.055	3.055
13	1.350	1.771	2.160	2.650	2.746	2.896	3.012	3.012
14	1.345	1.761	2.145	2.624	2.718	2.864	2.977	2.977
15	1.341	1.753	2.131	2.602	2.694	2.837	2.947	2.947
16	1.337	1.746	2.120	2.583	2.673	2.813	2.921	2.921
17	1.333	1.740	2.110	2.567	2.655	2.793	2.898	2.898
18	1.330	1.734	2.101	2.552	2.639	2.775	2.878	2.878
19	1.328	1.729	2.093	2.539	2.625	2.759	2.861	2.861
20	1.325	1.725	2.086	2.528	2.613	2.744	2.845	2.845
21	1.323	1.721	2.080	2.518	2.602	2.732	2.831	2.831
22	1.321	1.717	2.074	2.508	2.591	2.720	2.819	2.819
23	1.319	1.714	2.069	2.500	2.582	2.710	2.807	2.807
24	1.318	1.711	2.064	2.492	2.574	2.700	2.797	2.797
25	1.316	1.708	2.060	2.485	2.566	2.692	2.787	2.787
26	1.315	1.706	2.056	2.479	2.559	2.684	2.779	2.779
27	1.311	1.703	2.052	2.473	2.553	2.676	2.771	2.771
28	1.313	1.701	2.048	2.467	2.547	2.669	2.763	2.763
29	1.311	1.699	2.045	2.462	2.541	2.663	2.756	2.756
inf.	1.282	1.645	1.960	2.326	2.394	2.498	2.576	2.576



SEP 08 2017

TABLE 6(a) Values of F_{α}

ν_2 = Degrees of freedom for denominator	ν_1 = Degrees of freedom for numerator																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	25	30	40	60	120	∞
1	161	200	238	275	310	334	357	379	399	417	434	450	466	481	495	509	522	535	548
2	18.51	19.00	19.46	19.92	20.36	20.78	21.19	21.58	21.96	22.32	22.67	23.00	23.31	23.61	23.89	24.16	24.41	24.65	24.88
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.63	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.52	4.50	4.46	4.43	4.40	4.37
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.83	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.40	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.11	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.89	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.73	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.60	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.10	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.50	2.47	2.43	2.39	2.35	2.30
13	4.67	3.81	3.41	3.18	3.02	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.45	2.41	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.94	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.34	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.28	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.23	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.18	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.14	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.07	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.02	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.00	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.97	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.88	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.78	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.69	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.60	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.51	1.46	1.39	1.32	1.22	1.00

TABLE 6(b) Values of F_{α}

ν_2 = Degrees of freedom for denominator	ν_1 = Degrees of freedom for numerator																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	25	30	40	60	120	∞
1	4.052	5.000	5.403	5.625	5.764	5.859	5.928	5.982	6.023	6.056	6.106	6.157	6.209	6.240	6.261	6.287	6.313	6.339	6.366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.57	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.58	26.50	26.41	26.32	26.22	26.13
4	21.20	18.04	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.91	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.45	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.30	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.06	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.26	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.04	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.71	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.31	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.01	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.76	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.57	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.45	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.41	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.55	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.28	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.16	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.07	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	2.98	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.91	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.84	2.78	2.69	2.61	2.52	2.42
21	8.07	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.79	2.72	2.64	2.55	2.46	2.35
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.73	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.69	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.64	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.60	2.54	2.45	2.36	2.27	2.17
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.45	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.28	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.27	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.10	2.03	1.94	1.84	1.73	1.60
120	6.85	4.77	3.93	3.45	3.14	2.92	2.75	2.62	2.52	2.43	2.30	2.15	2.00	1.90	1.83	1.74	1.64	1.53	1.38
∞	6.63	4.56	3.72	3.24	2.93	2.71	2.54	2.41	2.31	2.22	2.09	1.94	1.79	1.69	1.62	1.53	1.42	1.31	1.00

SEP 02 2017

